RemPhos

IN -LINE NETWORK CONTROL NODE / RC-LBI-BLE-A



ORDERING **RP-LBI-BLE-A** TO THE LBI PART NUMBER UPGRADES THE FIXTURE WITH A FACTORY INSTALLED **NETWORK LIGHTING CONTROL**. CONNECT THROUGH THE SILVAIR APP ON ROBUST BLUETOOTH MESH. CAN BE PAIRED WITH A SWITCH FOR WIRELESS DIMMING CONTROL OR CONNECT TO OTHER FIXTURES WITH SENSORS TO MAXIMIZE COST SAVINGS.



ATRIBUTES	
DETECTION TECHNOLOGY	NONE
DETECTION TYPE	NONE
SENSOR POWER	12VDC
GROUPABLE	YES
NETWORK LIGHTING CONTROL	YES
COMISSIONING METHOD	NONE
REMOTE	SILVAIR APP*
DAYLIGHT HARVESTING	NO
HI OR LOW TRIM	YES
BI-LEVEL DIMMING	NO
NETWORK TECHNOLOGY	BLUETOOTH
INSTALLATION TYPE	INTERNAL
DLC LISTED	YES + DLC NLC
CONTROL CAPACITY	15 BARS

ATTRIBUTES

*SEE PAGE 10 FOR MORE INFORMATION ON SILVAIR APP





FOR MORE INFORMATION ON THE SILVAIR APP SCAN BELOW OR SEE PG. 10



HEADQUARTERS & TRAINING CENTER • Cary, IL | INNOVATION & MANUFACTURING CENTER • Middleton, MA 847.380.3540 • led-llc.com • sales@led-llc.com 11.12.24 Information is subject to change without notice.

Light Efficient Design