





HAZARDOUS LOCATION







- -> 45W replaces up to 250W HID.
- -> Certified for use in Class 1 and Division 2, Groups A, B, C, D.
- -> Certified for

Crouse-Hinds Champ®

Appleton Mercmaster® III

Appleton Mercmaster® II

GE Filtr-Gard®

Killark Certilite®

Thomas and Betts Hazlux®

- -> Improves temperature classification to T4A for fixture.
- → Bright 5000K for a safer environment.
- -> Easy upgrade to aging, costly hazardous location fixtures & saves on energy costs.























special UL

locations

INSTALL METHOD

PART #	UPC	REPLACES	WATTAGE	LUMENS	COLOR	LPW	BASE
LED-8924E50-HAZ	844006076320	Up to 250W	45W	6620	5000K	140	E26
LED-8924M50-HAZ	844006076368	Up to 250W	45W	6620	5000K	140	EX39

* 3	47 VOLT	OPTIONS	FOR	CANADA	*
------------	---------	----------------	-----	--------	---

PART #	UPC	REPLACES	WATTAGE	LUMENS	COLOR	LPW	BASE
LED-8924E50C-HAZ	844006076344	Up to 250W	45W	6620	5000K	140	E26
LED-8924M50C-HAZ	844006076382	Up to 250W	45W	6620	5000K	140	EX39












HAZARDOUS LOCATION



GE FILTR-GARD

FITTING	FILTR-GARD CATALOG #
Ballast Housing	Series H2 balst housings
Cover/Mounting	Series H2000 mounts
Optical Assembly	Series H2000 opticals

BALLAST HOUSING	RETROFIT KIT
H2*05K, H2*05L, H2*10M	LED-8924E50-HAZ
All Others	LED-8924M50-HAZ
All Others	LED-8724WI3U-HAZ

CROUSE-HINDS CHAMP

FITTING	CROUSE CATALOG #	
Ballast Housing	VMVS, VMVM, VMVC (175, 100 & 175)	
Champ Cover (Mounting Module)	APM2, APM3, HPM2, CM2, CM3, TWM2, TWM3, JM5, PM5, QM25	
Optical & Guard Components	G24, G24 S808, P21, PD70, RA70, G241, G243, G245, P241, R2, R3, R5, P23, PR2, PR3, PR5	

BALLAST HOUSING	RETROFIT KIT
VMVS050, VMVM070,	LED-8924E50-HAZ
VMVM100	LED-8924E50C-HAZ
All Others	LED-8924M50-HAZ
	LED-8924M50C-HAZ

APPLETON MERCMASTER III

FITTING	APPLETON CATALOG #		
Ballast Housing	MLBG, MLBR, KPB & KPBR		
Mounting Hood	KPA75, KPA100, KPAF75, KPAF100, KPC75, KPC100, KPCH75, KPCH100, KPS125, KPS150, KPST125, KPST150, KPWB75, KPWB100		
Optical & Guard Components	KPA75, KPA100, KPAF75, KPAF100, KPC75, KPC100, KPCH75, KPCH100		

BALLAST HOUSING	RETROFIT KIT
MLBG &MLBR	LED-8924E50-HAZ LED-8924E50C-HAZ
KPB & KPBR	LED-8924M50-HAZ LED-8924M50C-HAZ

Note: This kit is for installation in the U.S. only when KPS125, KPS150, KPST125, KPST150 mounting hoods are used. This kit is not compatible with luminaires with the short 5 $\frac{1}{2}$ " Globe VPGL-1HR and Guard KGU1.





HAZARDOUS LOCATION

APPLETON MERCMASTER II

FITTING	APPLETON CATALOG #
Ballast Housing	LPB, 4 ¾" height housing only
Mounting Hood	LPA-75, LPA-100, LPC-75, LCP-100, LPBW-75, LPBW- 100, LPS-125, LPS-150
Optical & Guard Components	LPRF-***, VPGL-****, KGU2, KR2-**

BALLAST HOUSING	RETROFIT KIT
LPB, 4 ¾" height housing only	LED-8924M50-HAZ LED-8924M50C-HAZ

Note: This kit is for installation in the U.S. only when LPA-75, LPA-100, LPS125, LPS150 mounting hoods are used.

KILLARK CERTILITE

FITTING	KILLARK CATALOG #
111111111111111111111111111111111111111	RILLARIK CAIALOG #
Ballast Housing	VM1, VM2, VM3 & VM4
Mounting Hood	VMA2B, VMA3B, VMF2B, VMF3B, VMX2B, VMX3B, VMX6B, VMX7B, VMX8B, VMX9B, VMB2B, VMB3B, VMC2B, VMC3B, VMD4B, VMD5B, VMS4B, VMS5B
Optical & Guard Components	VMG17, VMG017, VMR175, VMR171, VMG25, VMR225, VMR251, VMR253, VZRG1550, VZRG2520, VZRG2550, VMER40, VMEP40, VMAG17, VMAG25S, VMRWG, VMRWGS, VMRWG8, VMERG, VMPSD40, VMPA40

BALLAST HOUSING	RETROFIT KIT
VM1, VM2	LED-8924E50-HAZ LED-8924E50C-HAZ
VM3 & VM4	LED-8924M50-HAZ LED-8924M50C-HAZ

T & B HAZLUX

FITTING	T & B CATALOG #
Ballast Housing	DH, DS Series
Mounting Hood	VP2, VP3, VA2, VA3, VF2, VF3, VC2, VC3, VB2, VB3, VS4, VS5, VL4 & VL5
Optical & Guard Components	VGT22, VGT22TS, VRF22C5, VR22P, VRA22P, VGU22P, VGU22, VGT31S, VGT31STS, VGL31R1, VGL31R3, VGL31R5, VRF31C5, VR31P, VR31, VR31CB, VRA31P, VGU31RP, VGU31R, VGR48, VGR64

BALLAST HOUSING	RETROFIT KIT
DH007	LED-8924E50-HAZ LED-8924E50C-HAZ
DH, DS Series	LED-8924M50-HAZ LED-8924M50C-HAZ

Note: This kit is for installation in the U.S. only when VS4, VS5, VL4 and VL5 mounting covers are used.

